PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: Mail

Mail Stop ISSU-FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450
or Fax (571)-273-2885

nnronriste All further	correspondence includir ed below or directed ot	no the Patent advance or	rders and notification of many specifying a new corres	naintenance fees w	vill be mailed	to the current	correspondence address a
CURRENT CORRESPOND 27367 WESTMAN C SUITE 1400	ENCE ADDRESS (Note: Use B	/2008	DEC 2 3 2008 Fee(pape have	s) Transmittal. Thi rs. Each additiona its own certificate Cer reby certify that the is Postal Service w	is certificate of paper, such to of mailing of mailing of the control of the cont	cannot be used for as an assignment reansmission. ailing or Transinsmittal is being a postage for firs	r domestic mailings of the or any other accompanying nt or formal drawing, mus nission deposited with the United t class mail in an envelope above, or being facsimile ate indicated below.
	00000046 09694293					· · · · · · · · · · · · · · · · · · ·	(Depositor's name)
1 FC:1501 1510.00 OP		ሰለ በወ	Ū,	alle C	1. FL	nuca	ne (Signature)
		vv ur		ecemb	er 19	, 2008	(Date)
APPLICATION NO.	FILING DATE	FILING DATE		FIRST NAMED INVENTOR		DOCKET NO.	CONFIRMATION NO.
09/694,293	10/23/2000	10/23/2000		Stephen T. Kuehn		2-0101	1653
TILE OF INVENTION	: MITRAL AND TRICU	SPID VALVE REPAIR		X.			
APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUI	E FEE TO	TAL FEE(S) DUE	DATE DUE
nonprovisional	NO	\$1440	\$0	\$1440		\$1440	12/22/2008
EXAMINER		ART UNIT	CLASS-SUBCLASS	, , , , , , , , , , , , , , , , , , ,			
NGUYEN, VI X		3734	606-139000				
Change of correspondence address or indication of "Fee Address" (37 FR 1.363). Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached. "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required.			2. For printing on the part (1) the names of up to or agents OR, alternativ (2) the name of a single registered attorney or a 2 registered patent attor listed, no name will be	at attorneys member a es of up to	ember a 2Kelly, P.A.		
PLEASE NOTE: Un recordation as set fort (A) NAME OF ASSI St. Jude Me	less an assignee is ident h in 37 CFR 3.11. Com GNEE dical, Inc.	ified below, no assignee oletion of this form is NO	THE PATENT (print or typ data will appear on the patent a substitute for filing an atmosphere (B) RESIDENCE: (CITY St. Paul, MN rinted on the patent):	atent. If an assign assignment. and STATE OR C	COUNTRY)		
a. The following fee(s)	are submitted:	41	b. Payment of Fee(s): (Plea A check is enclosed. Payment by credit care The Director is hereby overpayment, to Depos	se first reapply ar	ny previously	paid issue fee	shown above)
OTE: The Issue Fee an	itus (from status indicate is SMALL ENTITY statu id Publication Fee (if req	is. See 37 CFR 1.27.	b. Applicant is no long				
Authorized Signature	11-00-1	P. Finu	eane	Date <u>See</u>		2 19,2	008
							by the USPTO to process'

rnis collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.